

ODP-81-606
12 May 1981

MEMORANDUM FOR: See Distribution

STAT FROM : [REDACTED]
Policy and Plans Group, ODP

SUBJECT : Excess ADP Equipment

STAT 1. The attached Property Turn-In Document (Form 1707) lists ADP equipment excess to an office's needs. If your component has a requirement for any of the equipment, please forward a Speed Letter to ODP Management Staff, Attn: [REDACTED] Room 2D0105, Headquarters by 26 May 1981. The Speed Letter should include the following information from the Form 1707:

Turn-In No. (Document Control No.);
Item No.;
Nomenclature; and
A statement of the requirement.

2. Any technical questions about the equipment should be addressed directly to the contact named on the form. If you have any questions concerning the reassignment of this equipment, please feel free to call me on [REDACTED]

STAT
STAT

[REDACTED]

Att: Form 1707; No.: 5801-80295-001 (items 1, 2, and 3)

cc: DDO ADP Control Officer
NFAC ADP Control Officer
NPIC ADP Control Officer
OC ADP Control Officer
OCO ADP Control Officer
OCR ADP Control Officer
OD&E ADP Control Officer
ORD ADP Control Officer
OS ADP Control Officer
OSO ADP Control Officer
OSR ADP Control Officer
OTS ADP Control Officer
DD/A/ODP
C/CEMB/ODP

DISTRIBUTION:

Original and 1 - Addressee
✓ 2 - O/D/ODP
1 - MS Chrono
2 - ODP Registry

STAT

Approved For Release 2005/08/02 : CIA-RDP84-00933R000200180031-9

Approved For Release 2005/08/02 : CIA-RDP84-00933R000200180031-9